

CATAS S.p.A. Iscr. Reg. Imprese Udine nr. iscr. C.F. 01818850305 Reg. Impr. UD 20663 P. IVA: 01818850305 C.Soc. € 984,250,00 i.v.

Sede: Via Antica 24/3 33048 S. Giovanni al Nat. UD Via Braille, 5 Tel. 0432.747211 r.a. Fax 0432 747250 http://www.catas.com lab@catas.com

CATAS Brianza 20851 Lissone MB Tel. 039.464567 lissone@catas.com

Attestazione di Conformità al Decreto Legislativo n° 81 del 09-04-2008 e successive integrazioni ed aggiornamenti Attestazione nº 1660/2020

Valutati i risultati ottenuti nelle prove secondo le norme:

UNI EN 1335-1 protocollo n°296460-1/2020 UNI EN 1335-2 protocollo n°296460-2/2020 UNI EN 1335-2 protocollo n°299159-1/2020 UNI EN 1728 protocollo n°296460-3/2020 **UNI EN 1728** protocollo n°296460-4/2020 UNI EN 1728 protocollo n°299159-2/2020 protocollo n°299159-3/2020 **UNI EN 1728** protocollo n°299159-4/2020 **UNI EN 1022 UNI EN 1728** protocollo n°299159-5/2020

Constatato che il campione esaminato é dotato di sedile regolabile in altezza, di schienale regolabile in inclinazione e di supporto lombare regolabile in altezza, risponde alla tipologia B della EN 1335-1:2020,

attestiamo che il campione denominato



BLAZE della ditta CERANTOLA S.P.A. - VIA GIORGIONE 2-ZONA IND.LE - 31037 RAMON DI LORIA (TV)

è conforme all'allegato XXXIV del D.Lgs. 81/08 con riferimento alle norme UNI che disciplinano i principi contenuti nel decreto e riportate nella procedura interna Catas PG 44.

Il documento in formato PDF è stato sottoscritto con firma digitale e marca temporale nel rispetto del codice dell'amministrazione digitale (D.Lgs n° 82 e D.Lgs. n° 159), della deliberazione CMIFIA 4/2005 del febbraio 2005 e dell'intesa Adobe-Cnipa del febbraio 2006.

II Direttore Andrea Giavon

5 Novembre 2020

La denominazione del campione é quella dichiarata dalla ditta richiedente. Questa attestazione di conformità riguarda il campione sottoposto a prova e solo esso. Aggiunte, cancellazioni o alterazioni non sono ammesse



CATAS S.p.A. Iscr. Reg. Imprese Udine nr. iscr. C.F. 01818850305 Reg. Impr. UD 20663 P. IVA: 01818850305 C.Soc. 6 984.250.00 i.v. Sede: Via Antica, 24/3 33048 S. Giovanni al Nat. UD Tel. 0432.747211 r.a. Fax 0432.747250 http://www.catas.com lab@catas.com

CATAS Brianza Via Braille, 5 20851 Lissone MB Tel. 039.464567 lissone@catas.com


Declaration of conformity

n° 12636 / 2020

According to the results of the following tests:

UNI EN	1335-1	test report n°296460-1/2020	l.
UNI EN	1335-2	test report n°296460-2/2020 V	1
UNI EN	1335-2	test report n°299159-1/2020 v	Ž
UNI EN	1728	test report n°296460-3/2020 [√]	
UNI EN	1728	test report n°296460-4/2020 V	1
UNI EN	1728	test report n°299159-2/2020 v	
UNI EN		test report n°299159-3/2020 v	1
UNI EN	1022	test report n°299159-4/2020 v	
UNI EN	1728	test report n°299159-5/2020	1

we hereby testify that



BLAZE

of company
CERANTOLA S.P.A. - VIA GIORGIONE 2-ZONA IND.LE - 31037 RAMON DI LORIA (TV)ITALIA

complies with the dimensional requirements of type B of EN 1335-1:2020 and with the safety requirements of EN 1335-2:2018 verified according to EN 1728:2012+AC:2013

ll Direttore Andrea Giavon

November 5th, 2020



Date received:

04/08/20

Date of issue:

16/10/20

Report consists of 5 test reports.

Defects before testing: None

Sample name:

Seduta BLAZE

CERANTOLA S.P.A.

VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV)

ΙΤΔΙΙΔ

SAMPLE N° 296460

Overall dimensions: 720 x 720 x 1185 (h) mm

List of test reports:

1. Office work chair - Dimensions EN 1335-1:2020

2. General design requirements EN 1335-2:2018, clauses 4.1 - 4.2

3. Work chairs: seat and back static load test EN 1728:2012+AC:2013

4. Work chairs: seat and back durability EN 1728:2012+AC:2013

5. Work chairs: arm rests durability EN 1728:2012+AC:2013



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



SAMPLE N° 296460

Date of issue:

16/10/20

Sample weight:

Not determined

Sample name:

Seduta BLAZE



Side view



Bottom view



Rear view



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com

TEST REPORT

296460 / 1

Revision:

0

Date received:

04/08/20

Date of test:

19/08/20

Date of issue:

16/10/20

Sample name:

Seduta BLAZE

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Office work chair - Dimensions EN 1335-1:2020

Method: ISO 24496:2017

1. General features

1.1

Seat

depht:

x fixed

.

adjustable with horizontal movement

inclination:

fixed

x adjustable

1.2 Backrest

height:

x fixed

adjustable

x adjustable lumbar support (height)

adjustable lumbar support (protrusion)

inclination:

fixed

x adjustable

1.3 Seat and back syncronyzed yes

1.4

Armrests

height:

fixed

x adjustable

depth:

x fixed

adjustable

clear distance:

x fixed

adjustable

rotation:

no

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

paging Director Andrea Giavon



Testing site:
via Antica, 24/3
33048 San Giovanni al Natisone (UD)
tel. +39 0432 747211
lab@catas.com

TEST REPORT

296460 / 1 rev. 0

Date of issue: Sample name: 16/10/20 Seduta BLAZE

Type of chair: B

Test Results:

All linear dimensions are in mm

symbo	Parameter	requirement	measured	conformity
	SEAT		3	
а	seat height and sitting height	420 to 510	401* to 527	yes
	adjustment range	100 min	126	yes
b	seat depth adjustable	425 to 445	1	1
	adjustment range	50 min	1	1
	seat depth not adjustable	425 ÷ 485	435*	yes
С	seat pad depth	380 min	459	yes
d	seat pad width	400 min	506	yes
е	seat pad angle - adjustable	-2°	-13° to 0°	yes
	adjustment range	5°	13°	yes
	seat pad angle - not adjustable	+ 2° ÷ - 5°	1	1
	BACK REST			
f	height of lumbar support - adjustable	170 to 300	170* to 310*	yes
	adjustment range	50 min	140	yes
	height of lumbar support - not adjustable	170 ÷ 300	1	1
h	backrest height	360 min	636	yes
j	backrest width	360 min	465	yes
k	horizontal radius of the back rest	400 min	> 500	yes
1	back rest inclination (adjustment range)	15° min	33°	yes
У	angle between seat and back	90° min	113°	yes
	ARM REST			
n	length of arm rest	150 min	249	yes
0	width of arm rest	40 min	75	yes
р	height of armrest - adjustable	225 to 250	207 to 285	yes
	adjustment range	50 min	78	yes
	height of armrest - not adjustable	225 ÷ 275	1	1
q	distance from the bachrest to the front of the armrests	350 max	301	yes
r	hip breadth clearance with armrests in widest position	460 min	546	yes
Z	Clear distance between the armrests pads - adjustable	460 to 510	1	1
	Clear distance between the armrests pads - not adjust.	460 ÷ 510	505	yes
	UNDERFRAME	L		
s	maximum offset of the underframe	415 max	379	yes

^{*} The limit is included in the uncertainty interval associated with the measured value (see table 1 on page 3/3).

This document is validated by digital squature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com

TEST REPORT

296460 / 1 rev. 0

Date of issue: Sample name: 16/10/20 Seduta BLAZE

Table 1, ISO 24496:2017

symbol	Parameter	Uncertain at 95% confidence level (k=2)			
	SEAT				
а	seat height and sitting height	±8 mm (seat) ±15 mm (sitting)			
b	seat depth	± 25 mm			
С	seat pad depth	± 25 mm			
d	seat pad width	± 10 mm			
е	seat angle	± 2°			
	BACK REST				
f	height of lumbar support	± 25 mm			
h	backrest height	± 15 mm			
j	backrest width	± 10 mm			
k	horizontal radius of the back rest	Not applicable			
ı	back rest inclination	± 4°			
у	angle between seat and back	± 4°			
	ARM REST				
n	length of arm rest	± 5 mm			
o	width of arm rest	± 5 mm			
р	height of armrest	± 10 mm			
q	distance from the bachrest to the front of the armrests	± 40 mm			
r	hip breadth clearance with armrests in widest position	± 20 mm			
z	z Clear distance between the armrests pads ± 60 mm				
	UNDERFRAME				
S	maximum offset of the underframe	± 8 mm			

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N' 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 296460 / 2

Revision:

0

Date received:

04/08/20

Date of test:

15/09/20 16/10/20

Date of issue: Sample name:

Seduta BLAZE

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

General design requirements EN 1335-2:2018, clauses 4.1 - 4.2

Requirements	Remarks
Clause 4.1	
a) Edges of seat, back rest and arm rests in contact by the user are rounded ≥ 2 mm	Yes
b) Edges of handles are rounded or chamfered in the direction of the force applied	Yes
c) All other edges and corner are free from burrs and rounded or chamfered	Yes
d) Ends of accessible hollow components are closed or capped	Not Present
It shall not be possible for any load bearing part to come loose unintentionally	Yes
Clause 4.2	
Absence of shear and squeeze points, created by parts operated by powered mechanism.	Yes
Absence of shear and squeeze points, created by loads applied during normal use.	Yes

The test results comply with the requirements in clauses 4.1 and 4.2 of EN 1335-2:2018

Note: evaluation of accessible parts has been carried out according to CEN TR 17202:2018, clause 6.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea-Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

296460 / 3

Revision:

Date received:

04/08/20

Date of test:

15/09/20 16/10/20

Date of issue: Sample name:

Seduta BLAZE



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) **ITALIA**

Work chairs: seat and back static load test EN 1728:2012+AC:2013

Test performed according to EN 1335-2:2018

Seat and back static load test, clause 7.3 of EN 1728:2012+AC:2013

Seat height:

highest position

Seat inclination:

horizontal

Back rest in height:

highest position

Back rest in depth:

rearmost position

Position of castors:

perpendicular to the base arms

Tension of mechanism spring:

medium

est results:					8 0
Seat load N	Back force N	Number of cycles	Loading point	Back rest inclination mechanism	Remarks
1.600	560	5	A - B	Blocked	No defects
1.600	560	5	A - B	Unlocked	No defects

Seat front edge static load, clause 7.4 of EN 1728:2012+AC:2013

Seat height: highest position Seat depth: foremost position

Test results:

Seat load N	Number of cycles	Back rest inclination mechanism	Remarks
1.600	10	F	No defects

The test results comply with the requirements in clause 5.2 of EN 1335-2:2018

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 296460 / 4

Revision:

0

Date received:

04/08/20

Date of test:

15/09/20 16/10/20

Date of issue: Sample name:

Seduta BLAZE

CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Work chairs: seat and back durability EN 1728:2012+AC:2013

Test performed according to EN 1335-2:2018

Seat and back durability clause 7.9 of EN 1728:2012+AC:2013

Seat height:

highest position

Seat inclination:

horizontal

Back rest in height:

highest position

Back rest in depth:

rearmost position


Position of castors:

perpendicular to the base arms

Tension of mechanism spring:

medium

Test results:



Number of cycles	Loading point	Force N	Back rest inclination mechanism	Remarks
120.000	Α	1.500	Unlocked	No defects
40.000	C B	1200 320	Locked	No defects
40.000	C B	1200 320	Unlocked	No defects
20.000	J E	1200 320	Unlocked	No defects
20.000	F H	1200 320	Unlocked	No defects
20.000	D G	1100 1100	Unlocked	No defects

The test results comply with the requirements in clause 5.2 of EN 1335-2:2018

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andrea Giavon



Date received:

26/10/20

Date of issue:

05/11/20

Report consists of 5 test reports.

Defects before testing: None

Sample name:

BLAZE

CERANTOLA S.P.A.

VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV)


ITALIA

SAMPLE N° 299159

Overall dimensions: 720 x 720 x 1185 (h) mm

List of test reports:

- 1. Information for use EN 1335-2:2018, clause 6
- 2. Work chairs: arm rests durability EN 1728:2012+AC:2013
- Work chairs: arm rest downward static load test-central EN 1728:2012+AC:2013
- 4. Stability EN 1022:2018, clause 7.3
- 5. Work chairs: rolling resistance of unloaded chair EN 1728:2012+AC:2013



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr Andrea Giavon



SAMPLE N° 299159

Date of issue:

05/11/20

Sample weight:


Not determined

Sample name:

BLAZE



Side view



Bottom view



Rear view



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catus.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 299159 / 1

Revision:

0

Date received: Date of test: 26/10/20 05/11/20

Date of issue:

05/11/20

Sample name:

BLAZE



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Information for use EN 1335-2:2018, clause 6

Information for use EN 1335-2:2018, clause 6

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user.	Italian language
a) Information regarding the intended use.	Present
b) Information regarding possible adjustments	Present
c) Instruction for operating the adjusting mechanisms.	Present
d) Instruction for the care and the maintenance of the chair.	Present
e) Information for chairs with seat height adjustements with energy accumulators that only trained personnel may replace or repair seat height adjustement components with energy accumulators.	Present
f) Information on the choice of castors in relation to the floor surface.	Present

The test results do not comply with the requirements in clause 6 of EN 1335-2:2018

Further information for use EN 1335-1:2020, clause 9

Statement checked	Remarks	
a) The type of chair (Type AX, Type A, Type B or Type C)	Present	
d) assembly instructions, where applicable.	Present	

The test results comply with the requirements in clause 9 of EN 1335-1:2020

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 299159 / 2

Revision:

0

Date received: Date of test: 26/10/20 28/10/20

Date of lest.

05/11/20

Sample name:

BLAZE



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Work chairs: arm rests durability EN 1728:2012+AC:2013

Test performed according to EN 1335-2:2018

Arm rest durability, clause 7.10 of EN 1728:2012+AC:2013

Seat height:

lowest position

Seat inclination:

horizontal

Armrest positioning:

highest

Test results:

Load on arm rest N	Number of cycles	Remarks	
400	60,000	No defects	

The test results comply with the requirements in clause 5.2 of EN 1335-2:2018

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB Nº 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 299159 / 3

Revision:

0

Date received:

26/10/20

Date of test: Date of issue: 04/11/20 05/11/20

Sample name:

BLAZE



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Work chairs: arm rest downward static load test-central EN 1728:2012+AC:2013

Test performed according to EN 1335-2:2018

Arm rest downward static load test - central, clause 7.5 of EN 1728:2012+AC:2013

Seat height:

lowest position

Seat inclination:

horizontal

Armrest positioning:

highest

Test results:

Load on the arm rest	Number of cycles	Remarks
750	5	See note
900	5	No defects

Note: after the functional load of 750 N the chair does not overbalance.

The test results comply with the requirements in clause 5.2 of EN 1335-2:2018

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

antiging Director r. Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 299159 / 4

Revision:

0

Date received: Date of test: 26/10/20 04/11/20

Date of issue:

05/11/20

Sample name:

BLAZE



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Stability EN 1022:2018, clause 7.3

Type of chair: tilting

Positioning of chair components: as specified in Table 1 of EN 1022:2018

Loads and masses according to table B1 of EN 1022:2018, annex B

Forwards overturning

Forwards overturning, clause 7.3.1

: does not overturn

Forwards overturning for seating with foot rest, clause 7.3.2

: /

Corner stability, clause 7.3.3

: does not overturn

Sideways overturning

Sideways overturning, all seating without arm rests, clause 7.3.4

. .

Seating with arm rests, clause 7.3.5.2

: does not overturn

Seating with raised side edges, clause 7.3.5.3

: /

Rearwards overturning

Rearwards overturning all seating with back rests, clause 7.3.6

Minimum force required: 192 N

: does not overturn

Tilting seating, clause 7.4.2

: does not overturn

Reclining seating with leg rest, clause 7.4.3

Reclining seating without leg rest, clause 7.4.4

Rearwards stability test for rocking chairs, clause 7.4.5

1

Note: The test has been carried out after the functional load on the arm rest.

The test results comply with the requirements in clause 4.4 of EN 1335-2:2018.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Mahaging Director Ur. Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 299159 / 5

Revision:

0

Date received:

26/10/20

Date of test: Date of issue: 04/11/20 05/11/20

Sample name:

BLAZE



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Work chairs: rolling resistance of unloaded chair EN 1728:2012+AC:2013

Test performed according to EN 1335-2:2018

Rolling resistance of unloaded chair, clauses 6.30 and 7.14 of EN 1728:2012+AC:2013

Type of castors:

Н

Test surface:

steel floor

Test speed:

50 mm/s

Seat height:

lowest position

Test results:

Measured resistance of castors N	Minimum allowed resistance N	Remarks
12,5 ± 1,2*	12	No defects

^{*}The result is the average of 3 measures

Unless otherwise specified, measurement uncertaintie expanded to a confidence level of about 95% are ±2,0 N.

The measurement uncertainties stated in this document have been determined according to UNI CEI ENV 13005:2000. They were estimated as expanded uncertainty obtained multiplying the standard uncertainty by the coverage factor k corresponding to a confidence level of about 95%. Normally k=2.


The test results comply with the requirements in clause 5.2 of EN 1335-2:2018

**The limit is included in the uncertainty interval associated with the measured value.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director In Andrea Giaven

BLAZE - schema di montaggio -



Blaze cerantola @

Istruzioni d'uso sedia Blaze

Poltrona operativa per ufficio girevole per postazione con videoterminale. La poltrona prevede la regolazione in altezza di sedile e schienale, la regolazione dell'inclinazione dello schienale con leva e bloccaggio a posizione desiderata oppure sbloccato a contatto permanente.

ISTRUZIONI D'USO:

- Regolazione in altezza del sedile con pistone a gas, tirando verso l'alto la leva del meccanismo synchro.
- Sbloccaggio della regolazione in altezza dello schienale spingendo verso l'alto
- Per regolare la profondità del sedile tirare verso l'alto l'apposita leva.

INFORMAZIONI GENERALI:

- Se la poltrona è prevista per uso a videoterminale gli angoli tra piede e polpaccio, polpaccio e coscia, coscia e schiena, avambraccio e spalla devono essere di circa 90 °.
- Per l'utilizzo della sedia su pavimenti in linoleum o ricoperti da moquette o tappetti si consiglia l'uso di ruote rigide; per pavimenti in pietra dura, legno o piastrelle si consiglia l'uso di ruote morbide.

CONSIGLI DI MANUTENZIONE:

- Le parti rivestite in tessuto vanno pulite con una spazzola o un detergente delicato.
- Le parti rivestite con pelle naturale o artificiale devono essere pulite con un panno umido e morbido
- Tutte le parti devono essere pulite con una spazzola o con un panno umido
- EVITARE TASSATIVAMENTE l'uso di solventi o di detergenti chimici, poiché potrebbero alterare le caratteristiche estetiche e fisiche dell'articolo.

CONSIGLI DI SICUREZZA:

- Non salire in piedi sulla poltrona
- Non sedersi sulla spalliera o sui braccioli.
- Evitare il contatto con fonti di calore
- Il prodotto non è adatto ad uso esterno.
- Le sedie vanno movimentate dai braccioli
- Si consiglia di effettuare una periodica ispezione dei componenti
- Non inserire le mani nelle eventuali parti in movimento accessibili durante l'uso
- Non aprire la colonna a gas con la forza. Solo personale specializzato può sostituire o riparare la colonna a gas.

^{**}La sedia rispetta i requisiti della norma EN 1335-1:2020 tipologia B