

Report ID: 348563
Date of sample receipt: 12/05/23
Date of issue: 05/06/23

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: STRIKE 4 LEGS FRAME

SAMPLE N° 348563


Overall dimensions: 550 x 530 x 780 (h) mm

List of test reports:

1. Safety requirements EN 16139:2013+AC:2013
2. Information for use EN 16139:2013+AC:2013
3. Seat and back static load test EN 1728:2012+AC:2013
4. Vertical load on back rest EN 1728:2012+AC:2013
5. Seat and back fatigue test EN 1728:2012+AC:2013
6. Seat front edge durability test EN 1728:2012+AC:2013
7. Leg forward static load test EN 1728:2012+AC:2013
8. Leg sideways static load test EN 1728:2012+AC:2013
9. Seat impact test EN 1728:2012+AC:2013
10. Back impact test EN 1728:2012+AC:2013
11. Stability - EN 1022:2005
12. Stability EN 1022:2018, clause 7.3



This document is part of a PDF file digitally signed by Franco Bulian.

*The managing director
Dr. Franco Bulian*


The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

SAMPLE N° 348563

Date of issue: 05/06/23
Sample weight: Not determined
Sample name: STRIKE 4 LEGS FRAME



Side view



Rear view



Bottom view

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

348563 / 1

Revision: 0
Date of sample receipt: 12/05/23
Date of test: 15/05/23
Date of issue: 05/06/23



Sample name: STRIKE 4 LEGS FRAME

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Safety requirements EN 16139:2013+AC:2013

Safety requirements clause 4

Statement checked	Remarks
Corner and edges in contact with the users: • Absence of sharp edges and corners	Yes
Edges on the handles: • Absence of sharp edges and corners in the direction of the force	Handles not present
Other edges: • Absence of sharp edges and corners	Yes
Accessible hollow components: • The ends of hollow components are closed or capped	Yes
Movable and adjustable parts: • It shall not be possible for any movable and adjustable part of the chair to come operate unintentionally.	Movable and adjustable parts not present
Connections between parts of the structure: • It shall not be possible for any load bearing part of the seating to come loose unintentionally	No
Parts which are lubricated: • All the parts which are lubricated shall be designed to protect users	Lubricated parts not present
Shear and squeeze points between movable parts $\geq 8 \text{ mm} \leq 25 \text{ mm}$: • Shear and squeeze points under influence of powered mechanism • Shear and squeeze points during normal use and during normal movements and actions	Mechanism not present No

Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013+AC:2013: **YES**

This test report is part of a PDF file digitally signed by Franco Bulian.

*The managing director
Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

348563 / 2

Revision: 0
Date of sample receipt: 12/05/23
Date of test: 05/06/23
Date of issue: 05/06/23



Sample name: STRIKE 4 LEGS FRAME

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Information for use EN 16139:2013+AC:2013

Information for use clause 7

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user (Valuated only Italian language)	Present
Information regarding the intended use (Annex B of EN 16139:2013+AC:2013)	Present
Instruction for operating the adjusting mechanisms, where applicable	Not applicable
Assembly instructions, where applicable	Not applicable
Instruction for the care and the maintenance of the chair	Present
Information on the choice of castors in relation to the floor surface if the chair is fitted	Castors not present
Advice that only trained personnel may replace or repair seat height adjustment components with energy accumulators if the chair is fitted	Seat height adjustment not present

Conformity to clause 7 of standard EN 16139:2013+AC:2013:	YES
-----------------------------------------------------------	------------

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian
(Handwritten signature)

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

348563 / 3

Revision: 0
Date of sample receipt: 12/05/23
Date of test: 16/05/23
Date of issue: 05/06/23



Sample name: STRIKE 4 LEGS FRAME

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Seat and back static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013

Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.600	530	10	No defects

Note:

According to EN 1728:2012+AC:2013, back force has been reduced from 560 N to 530 N to avoid tipping.

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

348563 / 4

Revision: 0
Date of sample receipt: 12/05/23
Date of test: 17/05/23
Date of issue: 05/06/23



Sample name: STRIKE 4 LEGS FRAME

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Vertical load on back rest EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013 / EN 12727:2016

Vertical static load on back rest clause 6.6, EN 1728:2012+AC:2013

Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.300	600	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Franco Bulian.

*The managing director
Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

348563 / 5

Revision: 0
Date of sample receipt: 12/05/23
Date of test: 19/05/23
Date of issue: 05/06/23



Sample name: STRIKE 4 LEGS FRAME

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Seat and back fatigue test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat and back fatigue test, clause 6.17, EN 1728:2012+AC:2013

Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	100.000	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

348563 / 6

Revision: 0
Date of sample receipt: 12/05/23
Date of test: 26/05/23
Date of issue: 05/06/23



Sample name: STRIKE 4 LEGS FRAME

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Seat front edge durability test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat front edge durability test clause 6.18, EN 1728:2012+AC:2013

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front and sides edges	800	50.000	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

348563 / 7

Revision: 0
Date of sample receipt: 12/05/23
Date of test: 31/05/23
Date of issue: 05/06/23



Sample name: STRIKE 4 LEGS FRAME

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Leg forward static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Leg forward static load test clause 6.15, EN 1728:2012+AC:2013

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
500	1.000	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Franco Bulian.

*The managing director
Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

348563 / 8

Revision: 0
Date of sample receipt: 12/05/23
Date of test: 31/05/23
Date of issue: 05/06/23



Sample name: STRIKE 4 LEGS FRAME

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Leg sideways static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Leg sideways static load test clause 6.16, EN 1728:2012+AC:2013

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Franco Bulian.

*The managing director
Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

348563 / 9

Revision: 0
Date of sample receipt: 12/05/23
Date of test: 31/05/23
Date of issue: 05/06/23



Sample name: STRIKE 4 LEGS FRAME

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Seat impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat impact test clause 6.24, EN 1728:2012+AC:2013

Test results:

Mass of impactor kg	Height of drop mm	Impact point	Number of drops	Remarks
25	240	seat loading point (A)	10	No defects
25	240	on the longitudinal axis, 100 mm from the front seat edge	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian
(Handwritten signature)

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT
348563 / 10

Revision: 0
Date of sample receipt: 12/05/23
Date of test: 31/05/23
Date of issue: 05/06/23



Sample name: STRIKE 4 LEGS FRAME

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Back impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Back impact test clause 6.25, EN 1728:2012+AC:2013

Test results:

Angle °	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

348563 / 11

Revision: 0
Date of sample receipt: 12/05/23
Date of test: 31/05/23
Date of issue: 05/06/23



Sample name: STRIKE 4 LEGS FRAME

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Stability - EN 1022:2005

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 164 N

Forwards overturning

Horizontal force : 20 N does not overturn

Rearwards overturning

Fixed back chair

Horizontal force : 164 N does not overturn

Tilting chair in the rearmost position

Loading discs on the seat : /

Sideways overturning for chairs with arms

Horizontal force : /

Sideways overturning for chairs without arms

Horizontal force : 20 N does not overturn

Forwards overturning for chairs with footrest

Horizontal force : /

The test result complies with the requirements of EN 1022:2005

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

348563 / 12

Revision: 0
Date of sample receipt: 12/05/23
Date of test: 31/05/23
Date of issue: 05/06/23



Sample name: STRIKE 4 LEGS FRAME

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Stability EN 1022:2018, clause 7.3

Type of chair: fixed geometry

Positioning of chair components: as specified in Table 1 of EN 1022:2018

Loads and masses according to table B1 of EN 1022:2018, annex B

Forwards overturning

Forwards overturning, clause 7.3.1 : does not overturn

Forwards overturning for seating with foot rest, clause 7.3.2 : /

Corner stability, clause 7.3.3 : does not overturn

Sideways overturning

Sideways overturning, all seating without arm rests, clause 7.3.4 : does not overturn

Seating with arm rests, clause 7.3.5.2 : /

Seating with raised side edges, clause 7.3.5.3 : /

Rearwards overturning

Rearwards overturning all seating with back rests, clause 7.3.6

Minimum force required: 164 N : does not overturn

Tilting seating, clause 7.4.2 : /

Reclining seating with leg rest, clause 7.4.3 : /

Reclining seating without leg rest, clause 7.4.4 : /

Rearwards stability test for rocking chairs, clause 7.4.5 : /

The test results comply with the requirements in clause 7.2 of EN 1022:2018.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian
(Handwritten signature)

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

Declaration of conformity

n° 13454 / 2023

According to the results of the following tests:

EN 16139 test report n. 348563- 1/2021
EN 16139 test report n. 348563- 2/2021
EN 1728 test report n. 348563- 3/2021
EN 1728 test report n. 348563- 4/2021
EN 1728 test report n. 348563- 5/2021
EN 1728 test report n. 348563- 6/2021
EN 1728 test report n. 348563- 7/2021
EN 1728 test report n. 348563- 8/2021
EN 1728 test report n. 348563- 9/2021
EN 1728 test report n. 348563-10/2021
EN 1022 test report n. 348563-11/2021

we hereby testify that



STRIKE 4 LEGS FRAME

of company

CERANTOLA S.P.A. - VIA GIORGIONE 2-ZONA IND.LE - 31037 RAMON DI LORIA (TV)ITALIA

**complies with the strength, durability and safety requirements
of 1st level of EN 16139:2013+AC2013**

This document is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

June 5th, 2023

**CERANTOLA S.P.A.**

Via Giorgione , 2 z.i. - 31037 Ramon di Loria (TV) - Italy
T +39 0423 755013 - F +39 0423 755152
R.E.A. TV 190527 - Reg. Imp. TV n. 02143740260
C. Id. IVA CEE n: IT 02143740260
Capitale Sociale Euro 120.000,00 i.v.
e.mail: info@cerantola.com - website: www.cerantola.com

COLOS

e.mail: info@colos.it - website: www.colos.it

ISTRUZIONI D'USO SEDIA STRIKE

Al fine di garantire la stabilità e la durata nel tempo dell'articolo, si consiglia di:

- Prima dell'uso assicurarsi che l'articolo sia assemblato correttamente.
- Non rimuovere alcun componente della sedia manualmente o tramite l'utilizzo di utensili.
- Verificare che il prodotto venga utilizzato con la base della struttura metallica appoggiata al pavimento e che lo stesso non consenta scivolamento.
- Non fare oscillare il prodotto durante l'utilizzo.
- Non sedersi sulla spalliera, sui braccioli o sulla tavoletta (se presenti)
- Non salire con i piedi e/o con le ginocchia sulla sedia
- Per spostare l'articolo, evitare il trascinarsi.
- Evitare il contatto con fonti di calore.
- Il prodotto non è adatto ad uso esterno, anche se coperto, con struttura cromata.
- Si possono impilare fino a 15 sedie.
- Le sedie vanno movimentate dallo schienale o dai braccioli.

CONSIGLI DI MANUTENZIONE

- I liquidi rovesciati devono essere assorbiti immediatamente con un panno pulito ed asciutto.
- Per le parti in plastica utilizzare sapone neutro.
- Per le parti in metallo non usare detersivi ma solo acqua.
- EVITARE TASSATIVAMENTE l'uso di solventi o di detersivi chimici, poiché potrebbero alterare le caratteristiche estetiche e fisiche dell'articolo.

USO PREVISTO

- Seduta per casa / ufficio
- Seduta per sale attesa
- Seduta per comunità/scuole
- Seduta per ristorazione/ HORECA

CERANTOLA SPA

Date of receipt:	27/05/21	CERANTOLA S.P.A.
Date of issue:	01/06/21	VIA GIORGIONE 2-ZONA IND.LE
Report consists of 2 test reports.		31037 RAMON DI LORIA (TV)
Defects before testing: None		ITALIA
Sample name:	SHELL/STRIKE/QUICK ARM WITH WRITING TABLET	

SAMPLE N° 311248


Overall dimensions: 605 x 515 x 800 (h) mm

List of test reports:

1. Vertical static load on auxiliary writing surfaces EN 1728:2012+AC:2013
2. Auxiliary writing surface durability test EN 1728:2012+AC:2013



This document is part of a PDF file digitally signed by Franco Bulian on 01/06/21.

*The managing director
Dr. Franco Bulian*


The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

SAMPLE N° 311248

Date of issue: 01/06/21
Sample weight: Not determined
Sample name: SHELL/STRIKE/QUICK ARM WITH WRITING TABLET



Side view



Rear view



Bottom view

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

311248 / 1

Revision: 0
Date of receipt: 27/05/21
Date of test: 31/05/21
Date of issue: 01/06/21



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: SHELL/STRIKE/QUICK ARM WITH WRITING TABLET

Vertical static load on auxiliary writing surfaces EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Vertical static load on auxiliary writing surface clause 6.14, EN 1728:2012+AC:2013

Test results:

Downward force N	Number of applications	Remarks
300	10	No defects

Note:

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Franco Bulian on 01/06/21.

The managing director
Dr. Franco Bulian
(Handwritten signature)

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

311248 / 2

Revision: 0
Date of receipt: 27/05/21
Date of test: 31/05/21
Date of issue: 01/06/21



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: SHELL/STRIKE/QUICK ARM WITH WRITING TABLET

Auxiliary writing surface durability test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Auxiliary writing surface durability test clause 6.22, EN 1728:2012+AC:2013

Test results:

Downward force N	Number of cycles	Remarks
150	10.000	No defects

Note:

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Franco Bulian on 01/06/21.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

Date of receipt:	07/06/21	CERANTOLA S.P.A.
Date of issue:	10/06/21	VIA GIORGIONE 2-ZONA IND.LE
Report consists of 2 test reports.		31037 RAMON DI LORIA (TV)
Defects before testing: None		ITALIA
Sample name:	SHELL/STRIKE/QUICK ARM WITH WRITING TABLET	

SAMPLE N° 311729


Overall dimensions: 605 x 515 x 800 (h) mm

List of test reports:

1. Vertical static load on auxiliary writing surfaces EN 1728:2012+AC:2013
2. Auxiliary writing surface durability test EN 1728:2012+AC:2013



This document is part of a PDF file digitally signed by Franco Bulian on 10/06/21.

*The managing director
Dr. Franco Bulian*


The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

SAMPLE N° 311729


Date of issue: 10/06/21
Sample weight: Not determined
Sample name: SHELL/STRIKE/QUICK ARM WITH WRITING TABLET



Side view



Rear view



Bottom view

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

311729 / 1

Revision: 0
Date of receipt: 07/06/21
Date of test: 09/06/21
Date of issue: 10/06/21



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: SHELL/STRIKE/QUICK ARM WITH WRITING TABLET

Vertical static load on auxiliary writing surfaces EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Vertical static load on auxiliary writing surface clause 6.14, EN 1728:2012+AC:2013

Test results:

Downward force N	Number of applications	Remarks
300	10	No defects

Note:

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 2.

This test report is part of a PDF file digitally signed by Franco Bulian on 10/06/21.

*The managing director
Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

311729 / 2

Revision: 0
Date of receipt: 07/06/21
Date of test: 09/06/21
Date of issue: 10/06/21



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: SHELL/STRIKE/QUICK ARM WITH WRITING TABLET

Auxiliary writing surface durability test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Auxiliary writing surface durability test clause 6.22, EN 1728:2012+AC:2013

Test results:

Downward force N	Number of cycles	Remarks
150	20.000	No defects

Note:

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 2.

This test report is part of a PDF file digitally signed by Franco Bulian on 10/06/21.

*The managing director
Dr. Franco Bulian*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

Imposta di Bollo
assolta



47206

33796



Ministero dell' Interno

DIPARTIMENTO DEI VIGILI DEL FUOCO DEL SOCCORSO PUBBLICO E DELLA DIFESA CIVILE
DIREZIONE CENTRALE PER LA PREVENZIONE E LA SICUREZZA TECNICA
CENTRO STUDI ED ESPERIENZE

3153_47206_33796

Visto l'Atto di Omologazione rilasciato in data 18/05/2012 con Codice di Omologazione: TV2689D30D100002E03, progr. 33796, con ultima validità fino al 18/05/2022, relativo al prodotto con denominazione commerciale: "SEDIA STRIKE" con impiego: "MOBILE (SEDIA)";

Vista l'istanza di rinnovo progr. 40217 del 04/05/2017 con validità rinnovata fino al 18/05/2022;

Vista l'istanza di rinnovo progr. 47206, assunta a protocollo DCPREV n. 2964 del 24/02/2022, presentata dalla ditta CERANTOLA S.P.A. sita in Via Giorgione, 2, 31037 - RAIMON DI LORIA (TV);

SI RINNOVA

l'Atto di omologazione con Codice: TV2689D30D100002E03, con validità fino al 18/05/2027, salvo le limitazioni previste dall'art.4, comma 3, del D.M. 10/03/2005 .

Il presente atto è da considerarsi parte integrante dell'atto di omologazione di cui in premessa e ad esso è accluso.

IL DIRETTORE CENTRALE
(Marsella)

Firmato in forma digitale ai sensi di legge

IL DIRIGENTE

(Dott. Ing. Massimo Nazzareno BONFATTI)

Firmato in forma digitale ai sensi di legge

IL RESPONSABILE DEL SETTORE OMOLOGAZIONI

(Dott. Ing. Fabio MAZZARELLA)

Firmato in forma digitale ai sensi di legge



SottoF. 3153

Ministero dell'Economia e delle Finanze
MARCA DA BOLLO
€14,62
QUATTORDICI/67
Agenzia Entrate
00019968 00001A39 W0AA0001
00004459 08/03/2012 15:08:14
0001-00009 B7FED8A96601527
IDENTIFICATIVO : 01850908042935



Ministero dell'Interno

DIPARTIMENTO DEI VIGILI DEL FUOCO DEL SOCCORSO PUBBLICO E DELLA DIFESA CIVILE
DIREZIONE CENTRALE PER LA PREVENZIONE E LA SICUREZZA TECNICA
AREA V - PROTEZIONE PASSIVA

VISTO il Decreto Ministeriale 26 giugno 1984 concernente "Classificazione di reazione al fuoco ed omologazione ai fini della prevenzione incendi";

VISTI il Decreto Ministeriale 3 Settembre 2001, recante "Modifiche ed integrazioni al Decreto 26 giugno 1984 concernente classificazione di reazione al fuoco ed omologazione ai fini della prevenzione incendi" e il Decreto Ministeriale 28 maggio 2002 recante rettifiche al decreto medesimo;

VISTA la circolare del Ministero dell'Interno n. 17 MI (SA) del 16 aprile 1987 concernente "Omologazioni ed estensioni delle omologazioni per i materiali omogenei prodotti in spessori e colori variabili";

VISTA la circolare n. 7 del 18 giugno 2004 recante "DD.MM. 26/06/1984 e 03/09/2001 Omologazione di mobili fissati, e non, agli elementi strutturali, realizzati con più materiali omogenei";

VISTO il certificato di omologazione rilasciato dal Ministero dell'Interno in data 17/07/2008 alla ditta CERANTOLA S.P.A. sita in Via Giorgione, 2 – 31037 RAIMON DI LORIA (TV), concernente il manufatto denominato "SEDIA SHELL" (codice di omologazione: TV2689D30D100002);

VISTA l'istanza presentata dalla predetta ditta CERANTOLA S.P.A. di RAIMON DI LORIA (TV), per ottenere l'estensione dell'omologazione di cui al comma precedente al manufatto di propria produzione denominato "SEDIA STRIKE";

VISTO il disegno del manufatto denominato "SEDIA STRIKE"

SI ESTENDE

la validità dell'omologazione relativa al certificato di cui in premessa al manufatto denominato "SEDIA STRIKE" prodotto dalla ditta CERANTOLA S.P.A. di RAIMON DI LORIA (TV), cui viene assegnato il numero di codice TV2689D30D100002E03, ai soli fini della prevenzione incendi, nella CLASSE di REAZIONE al FUOCO 1 (UNO) e se ne AUTORIZZA la riproduzione, ai sensi dei decreti ministeriali 26 giugno 1984 e 3 settembre 2001 conformemente al disegno citato in premessa e condizionatamente alla stretta osservanza di quanto contenuto nella dichiarazione d'impegno redatta dal legale rappresentante della ditta CERANTOLA S.P.A. di RAIMON DI LORIA (TV), circa la esclusiva utilizzazione di materiali aventi tutte le caratteristiche, apparenti e non apparenti, identiche a quelle dei materiali impiegati nella produzione del manufatto denominato "SEDIA SHELL" citato in premessa

Sul marchio o sulla dichiarazione di conformità, da allegarsi ad ogni tipo di fornitura del manufatto oggetto della presente omologazione, dovranno essere riportati:

- NOME DEL PRODUTTORE: Ditta CERANTOLA S.P.A. (o altro segno distintivo);
- ANNO DI PRODUZIONE (da indicarsi);
- CLASSE DI REAZIONE AL FUOCO: 1 (UNO);
- CODICE: TV2689D30D100002E03;
- IMPIEGO: MOBILE (SEDIA);
- MANUTENZIONE: METODO "D" COME DA UNI 9176 (1998).

Si richiamano tutti gli obblighi di legge spettanti al produttore e a tutti i soggetti comunque interessati, a norma del Codice Civile, del Codice Penale e dei decreti ministeriali 26 giugno 1984 e 3 settembre 2001.

Il presente atto, ad eccezione dei casi di decadenza e revoca dell' omologazione previsti dall'art.9, punti 2 e 3, del D.M. 26/06/84, ha validità di 5 anni dalla data di rilascio ed è rinnovabile alla sua scadenza.

Roma, 18 MAG. 2012

IL DIRETTORE CENTRALE
(Dattilo)



Fasc. 3807 sott.3153



DIPARTIMENTO DEI VIGILI DEL FUOCO DEL SOCCORSO PUBBLICO E DELLA DIFESA CIVILE

DIREZIONE CENTRALE PER LA PREVENZIONE E LA SICUREZZA TECNICA
UFF. PER LA PROT. PASSIVA, PROT. ATTIVA, SETTORE MERCEOLOGICO E LABORATORI

Vista la domanda di rinnovo presentata il: 04/05/2017
Codice: TV2689D30D100002E03 del 18/05/2012

Validità rinnovata fino al: 18/05/2022

Atto di Omologazione non ricadente nei casi previsti dall'art.3, comma 2, del D.M. 03/09/2001

(3153)
40217 - 33796

IL DIRETTORE CENTRALE
(LITTERIO)
Firmato in forma digitale ai sensi di legge